

**NOTICE TO CONTRACTORS  
HIGHWAY CONSTRUCTION**

**October 5, 2009**

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00 am, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00 am, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

**Bonds submitted on other than the bond form provided by the department may be subject to rejection.**

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his /her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

**FEE**

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**

*(Remittance may be made to the Washington State Treasurer and sent to the address below).*

**TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.**

***Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:***

**<http://www.wsdot.wa.gov/biz/contaa>**

**ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.**

## **Americans with Disabilities Act (ADA) Information**

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Ken Walker 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

## **Alaskan Way Viaduct and Seawall Replacement Program Contracting News**

### **September 2009**

#### **You're invited to a contracting event**

WSDOT is hosting a voluntary Pre-Advertisement meeting to discuss the next contract for the S. Holgate Street to S. King Street viaduct replacement project. The Stage 2 contract will include road and bridge construction to replace the southern mile of the viaduct and is expected to be advertised on Oct. 26, 2009.

#### **Project overview**

This contract provides for the improvement of SR 99 in King County, MP 28.85 to MP 31.75, S. Holgate Street to S. King Street Viaduct Replacement Project Stage 2, by constructing bridges, utility relocation work (water, storm drainage, 26kV overhead and underground electrical utility systems, lighting, sewer and fire protection), paving with hot mixed asphalt and cement concrete, constructing walls, demolishing approximate 1 mile of the existing SR 99 elevated roadway, grading for railroad tracks, excavating and disposing of contaminated materials, pile work, pedestrian/bicycle shared use path, cement deep soil mixing, traffic control (including detours), traffic signal system and illumination work, pavement marking, guardrail, fencing, temporary water pollution and erosion control and other work.

Final plans and specifications will be issued on the project Ad date. Draft plan sheets for the project are currently available at: [www.wsdot.wa.gov/biz/contaa/AlaskanwayviaductreplacementHolgate](http://www.wsdot.wa.gov/biz/contaa/AlaskanwayviaductreplacementHolgate)

Join us to learn about this contract, talk with the project team and network with other firms. All interested contractors are encouraged to attend.

**Thursday, Oct. 8, 2009**

**9 a.m. to 12 p.m.** (presentation will begin at 9 a.m.)

1051 First Avenue S., Seattle

2<sup>nd</sup> Floor

Please RSVP for the event by e-mailing [viaduct@wsdot.wa.gov](mailto:viaduct@wsdot.wa.gov) or calling 1-888-AWV-LINE and reference **S. Holgate Street to S. King Street** in the subject line.

#### **Parking**

Parking is available in the Diamond lot on the north side of the building, and ADA parking is available on the west side of the building.

#### **Driving directions**

##### **From northbound I-5**

- Merge onto I-90 West via exit 164B toward Fourth Avenue S.
- Take the exit towards Qwest Field/City Center
- Turn left onto Fourth Avenue S.
- Turn left onto S. Jackson Street
- Turn left onto First Avenue S.
- Turn right at entrance on north side of 1051 First Avenue S.

**From southbound I-5**

- Take exit 165A towards James Street
- Stay straight to go onto Sixth Avenue
- Turn right onto Columbia Street
- Merge onto SR 99 S. via the ramp on the left
- Take the exit on the left toward Safeco Field/Ferries/I-90
- Merge onto First Avenue S.
- Turn right at entrance on north side of 1051 First Avenue S.

**From westbound I-90**

- Take the exit towards Qwest Field/City Center
- Turn left onto Fourth Avenue S.
- Turn left onto S. Jackson Street
- Turn left onto First Avenue S.
- Turn right at entrance on north side of 1051 First Avenue S.

**ADA accessible entrance** (located on the west side of the building)

- Follow the directions above, but do not turn right at 1051 First Avenue S.
- Continue traveling southbound on 1<sup>st</sup> Avenue and turn right onto S. Atlantic Street
- Turn right into gravel lot on west side of 1051 First Avenue S. building for ADA accessible entrance.

**BID OPENING WEDNESDAY, OCTOBER 14, 2009**

- \*1. (PIERCE) **UNION AVE TO JACKSON AVE – ROADSIDE RESTORATION** (CL 32, \$1,500,000 - \$2,000,000) A State Project on SR 16, MP 1.20 to MP 4.10. Requires: Installing compost, bark mulch, street trees, trees, shrubs, groundcovers, emergents, seeding, traffic control and other work. 125 Working days. Involves 76 items. 15531 EA oregon grape, 1922 EA pacific wax myrtle, 1922 EA Indian plum, 1922 EA wild mock orange, 1922 EA red flowering currant, 4107 EA nootka rose, 6031 EA snowberry, 2019 EA dwarf arctic willow, 9390 EA common rush, 2348 EA dagger leaved rush, 9390 EA slough sedge, 7839 EA grow-low fragrant sumac, 7839 EA hancock coralberry, 65 EA bowhall red maple, 70 EA tulip tree, 4203 CY fine compost, 11043 CY bark or wood chip mulch. Lump Sum Bids for: Temp traffic control, pedestrian control and protect, SPCC plan.(XL-2884)(301636A)(07C529)(7830)(4 of 4)

**BID OPENING WEDNESDAY, OCTOBER 21, 2009**

- \*1. **“THIS PROJECT IS FUNDED IN WHOLE OR IN PART BY FUNDS MADE AVAILABLE**  
 \*\* **THROUGH THE AMERICAN RECOVERY AND REINVESTMENT ACT”**  
 \*\*\* (THURSTON/PIERCE) **MARTIN WAY TO 48<sup>TH</sup> ST NB & SB CONCRETE PAVEMENT**  
**REHABILITATION** (CL 5 & 47, Under \$10,000,000) **CONTAINS CONDITION OF AWARD DBE**  
**GOAL: 6%. F.A. No. ARRA-0053(949) on I-5, MP 109.21 to MP 131.15. CONTAINS APPRENTICE**  
**UTILIZATION REQUIREMENT: 15%.** Requires: Replacing cement concrete panels, retrofitting dowel bars, cement concrete pavement grinding, removing existing bridge approach slabs, constructing replacement bridge approach slabs, and placing pavement rut concrete wedges, minor guardrail upgrades, signing, traffic control and other work. 94 Working days. Involves 48 items. 503 CY lightweight aggregate fill, 433 SY bridge approach slab, 5900 SY replace cement conc panel, 56581 EA retrofit dowel bars, 139 EA replace dowel bars, 210972 SY cement conc pvmt grind, 62 LF beam guardrail, 1675 LF temp conc barrier, 182860 LF profiled plastic line, 185370 LF temp pvmt marking. **CONTAINS MINIMUM BID ITEM: TYPE B**  
**PROGRESS SCHEDULE.** Lump Sum Bids for: Perm signing, temp traffic control, SPCC plan.(XL-3416) (300530H)(09C510)(7822)(6 of 5)7)(1)

- \*2. **“THIS PROJECT IS FUNDED IN WHOLE OR IN PART BY FUNDS MADE AVAILABLE THROUGH THE AMERICAN RECOVERY AND REINVESTMENT ACT”**  
 (GRAYS HARBOR & THURSTON) **ELMA TO US 101 – CABLE BARRIER** (CL 11, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 12%.** F.A. No. ARRA-0008(012) on SR 8, MP 0.00 to MP 20.63. Requires: Installing high tension cable barrier in median areas, slope flattening, seeding and fertilizing by hand, traffic control and other work. 80 Working days. Involves 18 items. 1165 CY gravel borrow incl haul, 4275 LF silt fence, 550 CY coarse compost, 69500 LF high-tension cable barrier sys. Lump Sum Bids for: Additional high-tension cable barrier components, temp traffic control, SPCC plan.(XL-3620)(300819A)(09C520)(7834)(3 of 4)
- \*3. (KING) **SEATTLE FERRY TERMINAL SLIP 2 OVERHEAD LOADING DECKING**  
 \*\*\* **REPLACEMENT** (CL 6, \$100,000 - \$150,000) A State Project for Washington State Ferries. Requires: Replacing existing steel floor decking with new floor decking and other work. 75 Working days. Involves 7 items. Lump Sum Bids for: Overhead loading floor decking, SPCC plan. (FT-1781)(-)(09X161)(7831) (2 of 3)(1)

#### **BID OPENING WEDNESDAY, NOVEMBER 4, 2009**

1. (KING) **E MARGINAL WAY AND ELLIS AVE S TO N 145<sup>TH</sup> ST – ITS** (CL 9 or 27, \$3,000,000 - \$4,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 14%.** A State Project on SR 99, MP 27.25 to MP 40.47. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Adding sign bridges, cantilever sign structures, dynamic message signing, replacing/upgrading controller cabinets, erosion control, traffic control and other work. 136 Working days. Involves 87 items. 625 LF TV inspection, 41 EA st johns wort, 50 LF beam guardrail, 1400 LF temp conc barrier, 4 EA DMS support struct foundation, 4 EA DMS support struct, 6 EA DMS characters, 12 EA license plate reader, 58 EA wireless repeater, 6 EA protective vehicle. **CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCHEDULE, SCHEDULE UPDATE.** Lump Sum Bids for: Perm signing, sign bridges, traffic signal sys, temp traffic control, pedestrian control & protect, rdwy survey, health & safety plan, SPCC plan.(XL-3360)(809936C)(09A810)(7837) (1 of 4)

#### **BID OPENING THURSDAY, NOVEMBER 12, 2009**

- \*1. (COWLITZ) **TALLEY WAY INTERCHANGE** (CL 1, \$30,000,000 - \$35,000,000) **CONTAINS VOLUNTARY MWBE GOAL : 8%** A State Project on I-5, MP 35.82 to MP 37.48 & SR 432, MP 9.89 to MP 10.33. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Grading, drainage, surfacing, paving with hot mix asphalt, building two new bridges, constructing geosynthetic retaining walls, new ramps, signals systems, ITS, illumination systems, cantilever sign structures, sign bridges, permanent signing, pavement markings, install sanitary sewer and water lines, stormwater ponds, roadside planting, erosion control, work on wetland mitigation sites, traffic control and other work. 440 Working days. Involves 214 items. 65340 CY rdwy excav incl haul, 278080 T special select borrow incl haul, 14310 T gravel borrow incl haul, 11032 T special sand drain blanket incl haul, 227970 CY embankment compact, 36100 CY wetland excav incl haul, 33180 CY pond excav incl haul, 9759 SY gravel drains, 41 EA grate inlet, 7949 LF sch A storm sewer pipe, 1181 LF ductile iron sewer pipe, 2162 LF bridge rail, 30825 SF conc fascia panel, 49550 T crushed surface base course, 39948 T HMA CL ½ IN PG 64-22, 52525 SY compost blanket, 28758 LF silt fence, 29 ACRE seed, fert, mulch, 9535 CY topsoil, 26065 EA shrub mix, 25775 EA const wetland planting, 6720 CY bark or wood chip mulch, 65 EA wetland habitat struct, 13810 LF high visibility fence, 2825 LF vegetated geogrid, 1989 LF mountable cement conc traffic curb, 12904 beam guardrail, 1100 LF single slope conc barrier, 3311 LF cast-in-place conc barrier, 663 LF moment slab, 10883 LF paint line, 50512 LF plastic line, 12374 LF profiled plastic line, 10007 LF plastic wide lane line, 14980 LF temp pvmt marking, 8296 CYstruct excav CL B incl haul, 52471 SF shoring or extra excav CL B, 1229 SY cement conc sidewalk, 4 EA cement conc sidewalk ramp, 10990 LF wire fence, 30825 SF geosynthetic retaining wall, 36160 CY gravel borrow incl haul, 4834 SF shotcrete facing. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCHEDULE** Lump Sum Bids for: Shoring or extra excav CL A, perm signing,

sign bridges, cantilever sign struct, temp illum sys, illum sys, elec removals, traffic signal sys, communication conduit sys, communication cables and interfaces, data station sys, CCTV sys, video/data distribution and transmission sys, HAR, VMS, wireless communication sys, temp traffic control, cure box, clean exist drain struct, SPCC plan. **SUPERSTRUCTURE INCLUDES:**81395 LBS epoxy-coated st rebar, 11774 LBS st rebar, 257 CY conc CL 4000D, 115 CY conc CL 4000, 16 EA elastomeric bearing pads, 32 EA elastomeric transverse stop pads.(XL-2963)(400510A) (09X314)(7835)(2 of 6)

Paula J. Hammond, P.E.  
Secretary of Transportation

\* Previously Advertised  
\*\* Extended  
\*\*\* Revised

No projects awarded the week of September 28, 2009.